



ICE MACHINES



SUSHI CASES

PREP TABLES



ICE DISPENSERS



REFRIGERATORS



ICE STORAGE



FREEZERS



“A SUPERIOR DEGREE OF RELIABILITY”
hoshizakiamerica.com | (800) 438-6087

Item #40071 | 09-22-2016

PRODUCT BROCHURE





AM-50

CUBER SERIES

HOSHIZAKI offers a complete line of crescent cuber machines producing up to 2400 pounds of ice within a 24-hour period.

The AM Cuber features a stainless steel finish and fewer moving parts for longer life. The AM-50 is available with swing style field reversible door, fits conveniently into standard cabinetry and is UL approved for outdoor use. The AM-50BAE-AD is ADA approved height.



KM-101 / 151

The KM Cuber Series features an attractive stainless steel exterior. The dual-sided stainless steel evaporator has oval-shaped copper refrigerant tubing for the most efficient heat exchange. This exclusive evaporator design freezes the purest water, resulting in crystal clear crescent cubes.

ICE USAGE GUIDE

Establishment	Approximate Daily Usage
Restaurant	1.5 lbs. ice per seat
Cocktail Lounge	3.0 lbs. ice per seat
Lodging	
Food Service	1.5 lbs. ice per seat
Banquet Service	1.0 lbs. ice per seat
Guest Ice	5.0 lbs. ice per room
Beverage Service	5.0 oz. ice per 7 - 10 oz. cup
Convenience Store	8.0 oz. ice per 12 - 16 oz. cup
Fast Food	10.0 oz. ice per 20 - 32 oz. cup
Salad Bar/Seafood Display	30 lbs. ice per cubic feet



KMD-460

UNDERCOUNTER CUBERS with BUILT-IN BINS

MODEL	DIMENSIONS (W x D x H)	CONDENSER	ICE PRODUCTION (per 24 hrs.)
AM-50BAE(-DS)	14 7/8" x 22 5/8" x 33 1/2"	Air	55 lbs
AM-50BAE-AD(-DS)	14 7/8" x 22 5/8" x 31 1/2"	Air	55 lbs
*KM-61BAH	17 3/4" x 24 1/4" x 39"	Air	71 lbs
*KM-101BAH	23 3/4" x 24 1/4" x 39"	Air	115 lbs
*KM-151B_H	23 3/4" x 28 1/4" x 39"	Air, Water	146 lbs, 146 lbs
*KM-201B_H	24" x 28" x 39"	Air, Water	201 lbs, 215 lbs
*KM-260B_H	30" x 28" x 39"	Air, Water	263 lbs, 268 lbs

(-DS) Full overlay door panel - designed to accommodate custom cabinetry

*height includes 6" legs

Ice production at 70°F Air / 50°F Water



KMS-1401

MODULAR CRESCENT CUBERS / DISPENSER APPLICATION

MODEL	DIMENSIONS (W x D x H)	CONDENSER	ICE PRODUCTION (per 24 hrs.)
KMD-410M_H	22 1/4" x 24" x 24"	Air, Water	415 lbs, 440 lbs
*KMD-460M_H	30" x 24 1/4" x 22 1/8"	Air, Water	457 lbs, 505 lbs
*KMD-530M_H	30" x 24 1/4" x 22 1/8"	Air, Water, Remote	553 lbs, 540 lbs, 560 lbs
KMD-850M_H	30" x 24 5/8" x 28"	Air, Water, Remote	772 lbs, 780 lbs, 785 lbs
KMD-901M_H	30" x 24 5/8" x 28"	Water, Remote	922 lbs, 848 lbs

Ice production at 70°F Air / 50°F Water

SERENITY SERIES CRESCENT CUBERS / DISPENSER APPLICATION

MODEL	DIMENSIONS (W x D x H)	CONDENSER	ICE PRODUCTION (per 24 hrs.)
KMS-822MLH	22" x 24 5/8" x 28"	Remote	839 lbs
KMS-830MLH	30" x 16 1/2" x 29"	Remote	820 lbs, 791 lbs
*KMS-1122MLH	22" x 18" x 31 1/4"	Remote / 3 Phase	1100 lbs, 1120 lbs
KMS-1401MLJ	30" x 24" x 28"	Remote / 3 Phase	1420 lbs, 1400 lbs
KMS-2000MLH	30" x 24" x 32 7/8"	Remote / 3 Phase	1861 lbs, 1910 lbs

Ice production at 70°F Air / 50°F Water



KML-250 / 351

LOW-PROFILE CRESCENT CUBERS

MODEL	DIMENSIONS (W x D x H)	CONDENSER	ICE PRODUCTION (per 24 hrs.)
KML-250M_H	30" x 27 3/8" x 22"	Air, Water	307 lbs, 314 lbs
KML-351M_H	30" x 27 3/8" x 22"	Air, Water	333 lbs, 349 lbs
*KML-451M_H	30" x 27 3/8" x 22"	Air, Water	401 lbs, 429 lbs
*KML-631M_H	30" x 27 3/8" x 26"	Air, Water, Remote	605 lbs, 671 lbs, 645 lbs

Ice production at 70°F Air / 50°F Water



*ENERGY STAR® Qualified



HOSHIZAKI

All KM cubers feature the CycleSaver™ design and the EverCheck™ control board. The CycleSaver™ design allows HOSHIZAKI cubers to produce the same quantity of ice in about half as many cycles as competitive ice machines. Fewer cycles add-up to longer life and less maintenance than competitive units. The EverCheck™ control board sounds an audible alert when the machine is in need of service. This feature assists in diagnosis and minimizes down-time.

Additionally, the stainless steel construction of the evaporator means years of trouble-free ice-making. Because it is not affected by caustic water conditions, there is no plating to peel or flake and no plastic to crack. The HOSHIZAKI icemaking system is the simplest in the industry. It has fewer moving parts and fewer cycles which increases dependability, machine life and energy savings.

HOSHIZAKI Ice Machines and Dispensers also feature H-GUARD Plus® Antimicrobial Agent.



KM-515



KM-901



KM-1301 / KM-1601



KMH-2000



IM-500

MODULAR CRESCENT CUBERS

MODEL	DIMENSIONS (W x D x H)	CONDENSER	ICE PRODUCTION (per 24 hrs.)
*KM-340M_H	22" x 27 3/8" x 30 5/16"	Air, Water,	387 lbs, 386 lbs
*KM-515M_H(-E)	22" x 27 3/8" x 30 5/16"	Air, Water, Remote, Air-E	527 lbs, 500 lbs, 491 lbs, 185 kg
*KM-515M_H-P	22" x 27 3/8" x 30 5/16"	Air, Water	527 lbs, 462 lbs
*KM-600MAH	22" x 27 3/8" x 37 7/16"	Air	592 lbs
*KM-650M_H(-E)	22" x 27 3/8" x 37 7/16"	Air, Water, Remote, Air-E	661 lbs, 669 lbs, 632 lbs, 296 kg
KM-901M_H	30" x 27 3/8" x 37 7/16"	Air, Water, Remote	920 lbs, 928 lbs, 889 lbs
KM-901M_H-P	30" x 27 3/8" x 37 7/16"	Air, Water	920 lbs, 928 lbs
KM-901MRH3	30" x 27 3/8" x 37 7/16"	Remote / 3 Phase	899 lbs
KM-901M_H50	30" x 27 3/8" x 37 7/16"	Air, Remote	398 Kg, 402 Kg
*KM-1100M_H	30" x 27 3/8" x 32 1/2"	Air, Water, Remote	1184 lbs, 1111 lbs, 1183 lbs
*KM-1340M_H	30" x 27 3/8" x 41 1/2"	Air, Water, Remote	1325 lbs, 1329 lbs, 1401 lbs
*KM-1601MRH(3)	30" x 27 3/8" x 41 11/16"	Remote / 1 Phase, 3 Phase	1493 lbs, 1486 lbs

(-E) Models with air-cooled condensers available in 220v/50hz
 (-P) Exterior fasteners are tamper proof torx pin screws

Ice production at 70°F Air / 50°F Water

STACKABLE CRESCENT CUBERS

MODEL	DIMENSIONS (W x D x H)	CONDENSER	ICE PRODUCTION (per 24 hrs.)
KM-1301S_H(-E)	48" x 27 3/8" x 27 3/8"	Air, Water, Remote, Air-E	1329 lbs, 1290 lbs, 1353 lbs, 505 Kg
KM-1301S_H-P	48" x 27 3/8" x 27 3/8"	Air, Water	1329 lbs, 1290 lbs
*KM-1301S_H3	48" x 27 3/8" x 27 3/8"	Air, Water, Remote / 3 Phase	1298 lbs, 1248 lbs, 1339 lbs
KM-1601S_H	48" x 27 3/8" x 27 3/8"	Air, Water, Remote	1462 lbs, 1505 lbs, 1531 lbs
KM-1601S_H3	48" x 27 3/8" x 27 3/8"	Air, Water, Remote / 3 Phase	1456 lbs, 1555 lbs, 1530 lbs
*KM-1900S_H	48" x 27 3/8" x 36 7/16"	Air, Water, Remote	1867 lbs, 1919 lbs, 1857 lbs
*KM-1900S_H-P	48" x 27 3/8" x 36 7/16"	Air-Cooled, Water-Cooled	1867 lbs, 1919 lbs
KM-1900S_H3	48" x 27 3/8" x 36 7/16"	Air, Water, Remote / 3 Phase	1859 lbs, 1912 lbs, 1903 lbs
*KM-2100S_J3	48" x 27 3/8" x 36 7/16"	Water, Remote / 3 Phase	2115 lbs, 1964 lbs
KM-2500S_H3	48" x 27 3/8" x 36 7/16"	Water, Remote / 3 Phase	2429 lbs, 2424 lbs

(-E) Models with air-cooled condensers available in 220v/50hz
 (-P) Exterior fasteners are tamper-proof torx pin screws

Ice production at 70°F Air / 50°F Water

HIGH CAPACITY STACKABLE CRESCENT CUBERS

MODEL	DIMENSIONS (W x D x H)	CONDENSER	ICE PRODUCTION (per 24 hrs.)
*KMH-2000S_H(3)	36" x 40" x 36 7/16"	Water, Remote / 1 Phase, 3 Phase	1821 lbs, 1944 lbs, 1843 lbs, 1929 lbs

Ice production at 70°F Air / 50°F Water

IM SQUARE CUBER

MODEL	DIMENSIONS (W x D x H)	CONDENSER	ICE PRODUCTION (per 24 hrs.)
*IM-200BAA	39 1/2" x 23 5/8" x 33 1/2"	Air	200 lbs
*IM-500SAA	44" x 27 5/8" x 21 3/4"	Air	500 lbs

Ice production at 70°F Air / 50°F Water



C-101BAH

FLAKER / CUBELET SERIES

HOSHIZAKI flaker icemakers are designed for dependability. The attractive stainless steel exterior provides long life and easy maintenance. The internal auger design produces the highest quality ice with fewer repairs and less down time. This design also contributes to low power consumption, resulting in an energy efficient unit.

The modular flakers feature the Advanced CleanCycle24™ design, which keeps the evaporator barrel clean by performing a 2 second rinse every hour. The self-contained flakers are designed to flush the system automatically every time the bin control is activated. Most models are also available with our cubelet ice.



F-330BAH

UNDERCOUNTER FLAKERS with BUILT-IN BINS

MODEL	DIMENSIONS (W x D x H)	CONDENSER	ICE PRODUCTION (per 24 hrs.)
*F-300BAF	36" x 24" x 39"	Air	303 lbs
*F-330BAJ	24" x 26" x 39"	Air	332 lbs
*F-500BAF	38" x 29" x 42"	Air	501 lbs

*height includes 6" legs

Ice production at 70°F Air / 50°F Water



F-450MAH

MODULAR FLAKERS

MODEL	DIMENSIONS (W x D x H)	CONDENSER	ICE PRODUCTION (per 24 hrs.)
F-450MAJ	22" x 27 3/8" x 22"	Air	492 lbs
*F-801M__	22" x 27 3/8" x 26" / 25 15/16"	Air, Water	751 lbs, 665 lbs
*F-1001M_J	22" x 27 3/8" x 25 15/16"	Air, Water, Remote	970 lbs, 890 lbs, 930 lbs
F-1001MLJ	22" x 27 3/8" x 25 15/16"	Parallel Rack System	1150 lbs
*F-1501M_J	30" x 27 3/8" x 34 7/16"	Air, Water, Remote	1543 lbs, 1624 lbs, 1705 lbs
F-2001M_H(3)	30" x 27 1/2" x 34 7/16"	Water, Remote / 1 Phase, 3 Phase	2030 lbs, 1990 lbs, 2010 lbs
F-2001MLH	30" x 27 1/2" x 34 7/16"	Parallel Rack System	2280 lbs

Ice production at 70°F Air / 50°F Water



FD-650MAH-C

UNDERCOUNTER CUBELET with BUILT-IN BINS

MODEL	DIMENSIONS (W x D x H)	CONDENSER	ICE PRODUCTION (per 24 hrs.)
*C-101BAH(-DS)	14 7/8" x 22 5/8" x 33 1/2"	Air	92 lbs
*C-101BAH-AD(-DS)	14 7/8" x 22 5/8" x 31 1/2"	Air	92 lbs
*F-330BAJ-C	24" x 26" x 39"	Air	288 lbs

(-DS) Full overlay door panel - designed to accommodate custom cabinetry

*height includes 6" legs

Ice production at 70°F Air / 50°F Water

MODULAR CUBELET

MODEL	DIMENSIONS (W x D x H)	CONDENSER	ICE PRODUCTION (per 24 hrs.)
F-450MAJ-C	22" x 27 3/8" x 22"	Air	412 lbs
*FD-650M_H-C	22" x 24" x 26"	Air, Water, Remote	650 lbs, 615 lbs, 590 lbs
*F-801M__-C	22" x 27 3/8" x 26" / 25 15/16"	Air, Water,	690 lbs, 630 lbs
F-1001M_J-C	22" x 27 3/8" x 26"	Air, Water, Remote	910 lbs, 790 lbs, 840 lbs
F-1002M_J-C	22" x 27 3/8" x 26"	Air, Remote	890 lbs, 821 lbs
*FD-1001M_J-C	22" x 24" x 26"	Air, Remote	940 lbs, 930 lbs
FS-1001MLH-C	30" x 11" x 26"	Remote	830 lbs
FS-1022MLH-C	22" x 16 1/2" x 26"	Remote	830 lbs
*F-1501M_J-C	30" x 27 3/8" x 34 7/16"	Air, Water, Remote	1300 lbs, 1208 lbs, 1335 lbs
FS-1500MLH-C	30" x 16 1/2" x 33"	Remote	1491 lbs
F-2001MRH-C	30" x 27 1/2" x 34 7/16"	Remote	1814 lbs

Ice production at 70°F Air / 50°F Water



F-2001MRH



*ENERGY STAR® Qualified



HOSHIZAKI

DISPENSERS and ICE STORAGE BINS

The HOSHIZAKI crescent cube vending dispensers feature a built-in insulated storage bin with a “U”-Shaped design and three dimensional agitation. The shape of the bin and agitation prevents clumping and assists in delivering ice conveniently at the touch of a button. The DB Series cube dispenser accommodates the HOSHIZAKI KM series crescent cubers and features a child-safety mechanism which disengages the agitator should a foreign object be inserted into the chute. The DKM hotel dispenser is the only one-piece design available to the market and is 35% quieter than other hotel dispensers. The DCM Series dispenses both cubelet ice and water. The easy to chew, dry cubelet ice is produced and stored in a sanitary, built-in storage bin. The DCM Opti-Serve™ Series offers a hands-free operation, eliminating the possibility of cross-contamination.

OPTI-SERVE

HOSHIZAKI Ice Machines and Dispensers also feature H-GUARD Plus® Antimicrobial Agent.



**KML-451MAH
DB-200H**



DKM-500BAH



DCM-270BAH



DCM-500BAH-OS



BD-300SF

DB, DKM and DM SERIES DISPENSERS

MODEL	DIMENSIONS (W x D x H)	CONDENSER	APPLICATION CAPACITY
DB-130H	22" x 30" x 53"	Air	-
DB-200H	30" x 30" x 53"	Air	-
*DKM-500B_H	30" x 28" x 77"	Air - 466, Water - 455 lbs.	476 lbs, 448 lbs
DM-200B	30" x 28" x 36 3/8"	-	-

*height includes 6" legs

Ice production at 70°F Air / 50°F Water

DCM SERIES CUBELET DISPENSERS

MODEL	DIMENSIONS (W x D x H)	CONDENSER	ICE PRODUCTION (per 24 hrs.)
DCM-270BAH	16 9/16" x 24 1/8" x 31 11/16"	Air	282 lbs
DCM-300BAH	26" x 22 1/2" x 40"	Air	321 lbs
DCM-500B_H	26" x 22 1/2" x 40"	Air, Water	618 lbs, 590 lbs
DCM-751B_H	34 1/16" x 28 1/2" x 48 1/16"	Air, Water	801 lbs, 782 lbs

*height includes 4" legs

Ice production at 70°F Air / 50°F Water

DCM OPTI-SERVE™ SERIES CUBELET DISPENSERS

MODEL	DIMENSIONS (W x D x H)	CONDENSER	ICE PRODUCTION (per 24 hrs.)
DCM-270BAH-OS	16 9/16" x 24 1/8" x 31 11/16"	Air	288 lbs
DCM-300BAH-OS	26" x 22 1/2" x 40"	Air	321 lbs
DCM-500B_H-OS	26" x 22 1/2" x 40"	Air, Water	618 lbs, 590 lbs
DCM-751B_H-OS	34 1/16" x 28 1/2" x 48 1/16"	Air, Water	801 lbs, 782 lbs

Ice production at 70°F Air / 50°F Water

HOSHIZAKI ice storage bins are available with stainless steel (SS/SF) or vinyl (PF) clad exterior for easy cleaning and long lasting attractive appearance. The sturdy construction and non-corrosive bin liner provides safe, sanitary storage of ice for side-by-side or stacked installations. Foamed-in-place polyurethane insulation in all bin walls, and bottoms, provides dependable ice storage. H-GUARD Plus Antimicrobial Agent adds extra protection to the scoop.

PF, SF and SS SERIES BINS

MODEL	DIMENSIONS (W x D x H)	CONDENSER	APPLICATION CAPACITY
B-250PF	30" x 32 1/2" x 33 3/8"	Polyvinyl	250 lbs
B-300_F / BD-300_F	22" x 32 1/2" x 46"	Polyvinyl , Stainless Steel	300 lbs
B-500_F / BD-500_F	30" x 32 1/2" x 46"	Polyvinyl , Stainless Steel	500 lbs
B-700_F	44" x 32 1/2" x 46"	Polyvinyl , Stainless Steel	700 lbs
B-800_F	48" x 32 1/2" x 46"	Polyvinyl , Stainless Steel	800 lbs
B-900_F	52" x 32 1/2" x 46"	Polyvinyl , Stainless Steel	900 lbs
B-1150SS	48" x 41" x 60"	Stainless Steel	1150 lbs
B-1300SS	48" x 41" x 66"	Stainless Steel	1275 lbs
B-1500SS	60" x 41" x 62"	Stainless Steel	1500 lbs
B-1650SS	60" x 41" x 66"	Stainless Steel	1605 lbs

*depth includes door assembly

Ice production at 70°F Air / 50°F Water



COMMERCIAL SERIES

HOSHIZAKI's Commercial Series offers superior features: stainless steel interior and exterior front and sides, energy efficient TXV refrigeration system, flush mount door handle, unique ducted air flow, easy installation and excellent parts and labor warranty for reliable and durable kitchen refrigeration.



CR1S-FGY

REFRIGERATORS and FREEZERS

MODEL	DESCRIPTION	DIMENSIONS (W x D x H)	STORAGE CAPACITY
*CR1S-FS(L) / HS(L)	1-Section Refrigerator w/Full or Half height Door	27 1/2" x 33 3/4" x 79 3/4"	22.3 ft ³
CR1S-FGY	1-Section Refrigerator w/Full height Glass Door	27 1/2" x 33 3/4" x 79 3/4"	23.3 ft ³
CR2S-FS / HS	2-Section Refrigerator w/Full or Half height Door	55" x 33 3/4" x 79 3/4"	51.0 ft ³
*CR2S-FGY	2-Section Refrigerator w/Full height Glass Doors	55" x 33 3/4" x 79 3/4"	51.0 ft ³
CR3S-FS / HS	3-Section Refrigerator w/Full or Half height Door	83" x 33 3/4" x 79 3/4"	74.3 ft ³
CR3S-FGE	3-Section Refrigerator w/Full height Glass Doors	83" x 33 3/4" x 79 3/4"	74.3 ft ³
*CF1S-FS(L) / HS(L)	1-Section Freezer	27 1/2" x 33 3/4" x 79 3/4"	23.3 ft ³
*CF1S-FGE	1-Section Freezer w/Full height Glass Door	27 1/2" x 33 3/4" x 79 3/4"	23.3 ft ³
*CF2S-FS / HS	2-Section Freezer w/Full or Half height Door	55" x 33 3/4" x 79 3/4"	51.0 ft ³
*CF2S-FGY	2-Section Freezer w/Full height Glass Doors	55" x 33 3/4" x 79 3/4"	51.0 ft ³
CF3S-FS / HS	3-Section Freezer w/Full or Half height Doors	83" x 33 3/4" x 79 3/4"	74.3 ft ³

(L) Left Hand Hinge

*height includes 4" casters



CR2B-FS

UNDERCOUNTER and WORKTOP REFRIGERATORS and FREEZERS

MODEL	DESCRIPTION	DIMENSIONS (W x D x H)	STORAGE CAPACITY
*HR24A	1-Section Undercounter Refrigerator	23 3/8" x 24 1/2" x 32 11/16"	4.0 ft ³
*CRMR27(-01)(-LP)(-D)	1-Section Undercounter Refrigerator	27" x 30" x 33 5/8"	7.2 ft ³
*CRMR48(-01)(-D4)	2-Section Undercounter Refrigerator	48" x 30" x 33 5/8"	13.66 ft ³
CRMR60	2-Section Undercounter Refrigerator	60" x 30" x 33 5/8"	17.55 ft ³
CRMR72	3-Section Undercounter Refrigerator	72" x 30" x 33 5/8"	21.25 ft ³
*CRMF27(-01)(-LP)(-D)	1-Section Undercounter Freezer	27" x 30" x 33 5/8"	7.2 ft ³
*CRMF48(-01)	2-Section Undercounter Freezer	48" x 30" x 33 5/8"	13.66 ft ³
*CRMF60	2-Section Undercounter Freezer	60" x 30" x 33 5/8"	17.55 ft ³
*CRMR27-W(01)(D)	1-Section Worktop Refrigerator	27" x 30" x 40"	7.2 ft ³
*CRMR48-W(01)(D4)	2-Section Worktop Refrigerator	48" x 30" x 40"	13.66 ft ³
CRMR60-W	2-Section Worktop Refrigerator	60" x 30" x 40"	17.55 ft ³
CRMR72-W	3-Section Worktop Refrigerator	72" x 30" x 40"	21.25 ft ³
*CRMF27-W(01)(D)	1-Section Worktop Freezer	27" x 30" x 40"	7.2 ft ³
*CRMF48-W(01)	2-Section Worktop Freezer	48" x 30" x 40"	13.66 ft ³
*CRMF60-W	2-Section Worktop Freezer	60" x 30" x 40"	17.55 ft ³

(D, -D, D4) with Drawers (01, -01) with Lock

(-LP) Low Profile

*height includes 6" casters



CRMR27-D

REFRIGERATED SANDWICH TOP and MEGA TOP PREP TABLE

MODEL	DESCRIPTION	DIMENSIONS (W x D x H)	STORAGE CAPACITY
CRMR27-8(D) (8 pans)	1-Section Refrigerated Sandwich Top Prep Table	27" x 30" x 45 1/4"	7.2 ft ³
CRMR48-8 (8 pans)	2-Section Refrigerated Sandwich Top Prep Table	48" x 30" x 45 1/4"	13.66 ft ³
CRMR48-12(D4) (12 pans)	2-Section Refrigerated Sandwich Top Prep Table	48" x 30" x 45 1/4"	13.66 ft ³
CRMR60-8 (8 pans)	2-Section Refrigerated Sandwich Top Prep Table	60" x 30" x 45 1/4"	16.6 ft ³
CRMR60-12 (12 pans)	2-Section Refrigerated Sandwich Top Prep Table	60" x 30" x 45 1/4"	16.6 ft ³
CRMR60-16 (16 pans)	2-Section Refrigerated Sandwich Top Prep Table	60" x 30" x 45 1/4"	16.6 ft ³
CRMR72-12 (12 pans)	3-Section Refrigerated Sandwich Top Prep Table	72" x 30" x 45 1/4"	19.7 ft ³
CRMR72-16 (16 pans)	3-Section Refrigerated Sandwich Top Prep Table	72" x 30" x 45 1/4"	19.7 ft ³
CRMR72-18 (18 pans)	3-Section Refrigerated Sandwich Top Prep Table	72" x 30" x 45 1/4"	19.7 ft ³

(D, D4) with Drawers

*height includes 6" casters



CRMR48-W



CRMR72-18



*ENERGY STAR® Qualified



HOSHIZAKI

REFRIGERATED MEGA TOP PREP TABLES

MODEL	DESCRIPTION	DIMENSIONS (W x D x H)	STORAGE CAPACITY
CRMR27-12M (D) (12 pans)	1-Section Refrigerated Mega Top Prep Table	27" x 30" x 45 1/4"	7.2 ft ³
CRMR48-12M (12 pans)	2-Section Refrigerated Mega Top Prep Table	48" x 30" x 45 1/4"	13.66 ft ³
CRMR48-18M (D4) (18 pans)	2-Section Refrigerated Mega Top Prep Table	48" x 30" x 45 1/4"	13.66 ft ³
CRMR60-12M (12 pans)	2-Section Refrigerated Mega Top Prep Table	60" x 31" x 45 1/4"	16.6 ft ³
CRMR60-18M (18 pans)	2-Section Refrigerated Mega Top Prep Table	60" x 31" x 45 1/4"	16.6 ft ³
CRMR60-24M (24 pans)	2-Section Refrigerated Mega Top Prep Table	60" x 31" x 45 1/4"	16.6 ft ³
CRMR72-18M (18 pans)	3-Section Refrigerated Mega Top Prep Table	72" x 31" x 45 1/4"	19.7 ft ³
CRMR72-24M (24 pans)	3-Section Refrigerated Mega Top Prep Table	72" x 31" x 45 1/4"	19.7 ft ³
CRMR72-30M (30 pans)	3-Section Refrigerated Mega Top Prep Table	72" x 31" x 45 1/4"	19.7 ft ³



CRMR27-12M

(D, D4) with Drawers *height includes 6" casters

REFRIGERATED PIZZA PREP TABLES

MODEL	DESCRIPTION	DIMENSIONS (W x D x H)	STORAGE CAPACITY
CPT46	1-Section Refrigerated Pizza Prep Table	46" x 32 1/4" x 43 1/2"	11.0 ft ³
CPT67	2-Section Refrigerated Pizza Prep Table	67" x 32 1/4" x 43 1/2"	19.9 ft ³
CPT93	3-Section Refrigerated Pizza Prep Table	93" x 32 1/4" x 43 1/2"	30.1 ft ³
CPT67(-D4)	2-Section Refrigerated Pizza Prep Table	67" x 32 1/4" x 43 1/2"	19.9 ft ³



CPT67

(-D4) with Drawers *height includes 6" casters

LOW-PROFILE REFRIGERATED EQUIPMENT STAND

MODEL	DESCRIPTION	DIMENSIONS (W x D x H)	STORAGE CAPACITY
CRES36	1-Section Low-Profile Refrigerated Equipment Stand	36.5" x 33 1/2" x 26"	6.12 ft ³
CRES49	1-Section Low-Profile Refrigerated Equipment Stand	49" x 33 1/2" x 26"	9.52 ft ³
CRES60	1-Section Low-Profile Refrigerated Equipment Stand	60 1/2" x 33 1/2" x 26"	9.52 ft ³
CRES72	2-Section Low-Profile Refrigerated Equipment Stand	72.52" x 33 1/2" x 26"	15.44 ft ³
CRES85	2-Section Low-Profile Refrigerated Equipment Stand	85" x 33 1/2" x 26"	18.95 ft ³
CRES98	2-Section Low-Profile Refrigerated Equipment Stand	98" x 33 1/2" x 26"	22.2 ft ³



CRES49

*height includes 6" casters

PROFESSIONAL SERIES

HOSHIZAKI's Professional Series offers top of the line features and benefits: stainless steel interior and exterior, EverCheck™ control center, innovative variable speed compressor with adaptive control technology, unique ducted air flow and excellent parts and labor warranty for the ultimate performance in your kitchen.

REFRIGERATORS and FREEZERS

MODEL	DESCRIPTION	DIMENSIONS (W x D x H)	STORAGE CAPACITY
*RH1-SSE-FS	1-Section Refrigerator	27 1/2" x 33 5/8" x 82 1/2"	22.3 ft ³
*RH1-SSE-HS	1-Section Refrigerator w/Half height Doors	27 1/2" x 33 5/8" x 82 1/2"	22.3 ft ³
RH1-SSE-FG	1-Section Refrigerator w/Glass Door	27 1/2" x 33 5/8" x 82 1/2"	22.3 ft ³
RH1-SSE-HG	1-Section Refrigerator w/Half height Glass Doors	27 1/2" x 33 5/8" x 82 1/2"	22.3 ft ³
*RH2-SSE-FS	2-Section Refrigerator	55" x 33 5/8" x 82 1/2"	48.0 ft ³
RH2-SSE-HS	2-Section Refrigerator w/Half height Doors	55" x 33 5/8" x 82 1/2"	48.0 ft ³
*RH2-SSE-FG	2-Section Refrigerator w/Glass Doors	55" x 33 5/8" x 82 1/2"	48.0 ft ³
*RH2-SSE-HG	2-Section Refrigerator w/Half height Glass Doors	55" x 33 5/8" x 82 1/2"	48.0 ft ³
*RH3-SSE-FS	3-Section Refrigerator	82 1/2" x 33 5/8" x 82 1/2"	74.0 ft ³
*RH3-SSE-HS	3-Section Refrigerator w/Half height Doors	82 1/2" x 33 5/8" x 82 1/2"	74.0 ft ³
*RH3-SSB-FG	3-Section Refrigerator w/Glass Doors	82 1/2" x 33 5/8" x 82 1/2"	74.0 ft ³
RH3-SSB-HG	3-Section Refrigerator w/Half height Glass Doors	82 1/2" x 33 5/8" x 82 1/2"	73.6 ft ³
FH1-SSB	1-Section Freezer	27 1/2" x 33 5/8" x 82 1/2"	22.3 ft ³
FH1-SSB-HD	1-Section Freezer w/Half height Doors	27 1/2" x 33 5/8" x 82 1/2"	22.3 ft ³
FH2-SSB	2-Section Freezer	55" x 33 5/8" x 82 1/2"	48.0 ft ³
FH2-SSB-HD	2-Section Freezer w/Half height Doors	55" x 33 5/8" x 82 1/2"	48.0 ft ³



RH1-SSE-HSE



FH2-SSB

*height includes 4" casters



PTR2SSB-FGFG

DUAL TEMP REFRIGERATORS and FREEZERS

MODEL	DESCRIPTION	DIMENSIONS (W x D x H)	STORAGE CAPACITY
RFH1-SSB-HSE	1-Section Dual Temp	27 1/2" x 33 5/8" x 78"	R 9.1 ft ³ • F 10.5 ft ³
RFH1-SSB-HS	1-Section Dual Temp	27 1/2" x 33 5/8" x 82 1/2"	R 9.1 ft ³ • F 10.5 ft ³
RFH2-SSB	2-Section Dual Temp	55" x 33 5/8" x 82 1/2"	R 22.3 ft ³ • F 22.3 ft ³
RFH2-SSB-HS	2-Section Dual Temp w/Half height Doors	55" x 33 5/8" x 82 1/2"	R 22.3 ft ³ • F 22.3 ft ³
RFH3-SSB	3-Section Dual Temp	82 1/2" x 33 5/8" x 82 1/2"	R 48.0 ft ³ • F 22.3 ft ³
RFH3-SSB-HS	3-Section Dual Temp w/Half height Doors	82 1/2" x 33 5/8" x 82 1/2"	R 48.0 ft ³ • F 22.3 ft ³

*height includes 4" casters

ROLL-IN REFRIGERATORS

MODEL	DESCRIPTION	DIMENSIONS (W x D x H)	STORAGE CAPACITY
RIR1-SSB	1-Section Roll-In Refrigerator	35" x 38 11/16" x 90 1/2"	37.7 ft ³
RIR2-SSB	2-Section Roll-In Refrigerator	68" x 38 11/16" x 90 1/2"	72.66 ft ³

*depth includes 3 5/8" for ramp



RIR1-SSB

HOT FOOD HOLDING CABINETS

MODEL	DESCRIPTION	DIMENSIONS (W x D x H)	STORAGE CAPACITY
HH1-SSB-FS	1-Section Heated Cabinet	27 1/2" x 33 3/4" x 84 1/2"	24.9 ft ³
HH1-SSB-HS	1-Section Heated Cabinet w/Half height Doors	27 1/2" x 33 3/4" x 84 1/2"	24.9 ft ³

*height includes 5" casters



HH1-SSB-FS

UNDERCOUNTERS and WORKTOPS

MODEL	DESCRIPTION	DIMENSIONS (W x D x H)	STORAGE CAPACITY
HUR40A(-D)	1-Section Undercounter Refrigerator	40 1/4" x 32 5/16" x 33 7/8"	8.5 ft ³
HUR68A(-D)	2-Section Undercounter Refrigerator	68" x 32 5/16" x 33 7/8"	18.8 ft ³
HUR96A(-D)	3-Section Undercounter Refrigerator	95 13/16" x 32 5/16" x 33 7/8"	29.1 ft ³
HUF40A(-D)	1-Section Undercounter Freezer	40 1/4" x 32 5/16" x 33 7/8"	8.5 ft ³
HUF68A(-D)	2-Section Undercounter Freezer	68" x 32 5/16" x 33 7/8"	18.8 ft ³
HWR40A(-D)	1-Section Worktop Refrigerator	40 1/4" x 32 5/16" x 39 7/8"	8.5 ft ³
HWR68A(-D)	2-Section Worktop Refrigerator	68" x 32 5/16" x 39 7/8"	18.8 ft ³
HWR96A(-D)	3-Section Worktop Refrigerator	95 13/16" x 32 5/16" x 39 7/8"	29.1 ft ³
HWF40A(-D)	1-Section Worktop Freezer	40 1/4" x 32 5/16" x 39 7/8"	8.5 ft ³
HWF68A(-D)	2-Section Worktop Freezer	68" x 32 5/16" x 39 7/8"	18.8 ft ³

(-D) with Drawers

*height includes 4" casters

**height includes 6" casters

REFRIGERATED PREP TABLES with RAISED RAIL

MODEL	DESCRIPTION	DIMENSIONS (W x D x H)	STORAGE CAPACITY
HPR46A(-D)	1-Section Refrigerated Prep Table	46" x 32 5/16" x 44 13/18"	8.5 ft ³
HPR72A(-D)	2-Section Refrigerated Prep Table	72" x 32 5/16" x 44 13/18"	18.8 ft ³

(-D) with Drawers

*height includes 4" casters



HPR72A

The HOSHIZAKI HNC refrigerated display case provides an attractive display for many types of food products, including pastries and sushi. The new design features a 10% increase in storage capacity. These units are self-contained with an air-cooled refrigeration system and are easy to install, just plug it into a 115v outlet. The HNC refrigerated cases are NSF Standard 7 and UL approved for use as a service cabinet.

SUSHI CASES

MODEL	DESCRIPTION	DIMENSIONS (W x D x H)	STORAGE CAPACITY
HNC-120BA-R(L)-S	47 1/4" x 13 5/8" x 11"	Air	-
HNC-150BA-R(L)-S	59 1/16" x 13 5/8" x 11"	Air	-
HNC-180BA-R(L)-S	70 7/8" x 13 5/8" x 11"	Air	-
HNC-210BA-R(L)-S	82 11/16" x 13 5/8" x 11"	Air	-



HNC-210BA-R-S